

Prepared for:

**KIARA
NATURALS**

Crystal Resistant Full Spectrum CBD Distillate

Batch ID or Lot Number: COMPCRR19523	Test: Potency	Reported: 21Jul2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000249468	Started: 20Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD); Potency - Broad Spectrum Analysis, 0.01% THC	Received: 18Jul2023	Status: Active

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.116	0.361	1.619	16.19	
Cannabichromenic Acid (CBCA)	0.106	0.330	ND	ND	
Cannabidiol (CBD)	0.334	0.963	48.294	482.94	
Cannabidiolic Acid (CBDA)	0.342	0.988	ND	ND	
Cannabidivarin (CBDV)	0.079	0.228	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.143	0.412	ND	ND	
Cannabigerol (CBG)	0.066	0.205	30.295	302.95	
Cannabigerolic Acid (CBGA)	0.276	0.857	ND	ND	
Cannabinol (CBN)	0.086	0.268	2.080	20.80	
Cannabinolic Acid (CBNA)	0.188	0.585	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.328	1.022	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.003	0.009	0.158	1.58	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.003	0.008	ND	ND	
Tetrahydrocannabivarin (THCV)	0.060	0.187	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.233	0.725	ND	ND	
Total Cannabinoids			82.446	824.46	
Total Potential THC			0.158	1.58	
Total Potential CBD			48.294	482.94	

Final Approval

Samantha Smith
Sam Smith
21Jul2023
08:56:00 AM MDT

PREPARED BY / DATE

K Winternheimer

APPROVED BY / DATE

Karen Winternheimer
21Jul2023
09:02:00 AM MDT



<https://results.botanacor.com/api/v1/coas/uuid/484a0de8-d13c-4cdb-99de-147dc2cbe8dc>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc. warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA



Cert #4329.02
484a0de8d13c4cdb99de147dc2cbe8dc.1
Certified Test Laboratory